

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/786,282	02/24/2004	Shin-Tson Wu	UCF-388	2414
7:	590 05/09/2006		EXAMINER	
Law Offices of Brian S. Steinberger			CALEY, MICHAEL H	
101 Brevard Av Cocoa, FL 32		•	ART UNIT PAPER NUMBER	
			2871	
			DATE MAILED: 05/09/2006	

Please find below and/or attached an Office communication concerning this application or proceeding.

			W
	Application No.	Applicant(s)	
	10/786,282	WU ET AL.	
Office Action Summary	Examiner	Art Unit	· · · · · · · · · · · · · · · · · · ·
	Michael H. Caley	2871	
The MAILING DATE of this communication	n appears on the cover sheet w	ith the correspondence addres	SS
Period for Reply	CDI VIC CET TO EVDIDE 2 M	ONTU(6) OD TUIDTV (20) D	1476
A SHORTENED STATUTORY PERIOD FOR R WHICHEVER IS LONGER, FROM THE MAILIN - Extensions of time may be available under the provisions of 37 C after SIX (6) MONTHS from the mailing date of this communicatic - If NO period for reply is specified above, the maximum statutory p - Failure to reply within the set or extended period for reply will, by Any reply received by the Office later than three months after the earned patent term adjustment. See 37 CFR 1.704(b).	IG DATE OF THIS COMMUNION (FR 1.136(a)). In no event, however, may a ron. Deriod will apply and will expire SIX (6) MON statute, cause the application to become AE	CATION. reply be timely filed ITHS from the mailing date of this community BANDONED (35 U.S.C. § 133).	
Status			
Responsive to communication(s) filed on 2a) This action is FINAL . 2b) Since this application is in condition for all closed in accordance with the practice unit	This action is non-final. lowance except for formal matter	•	erits is
Disposition of Claims			
4) ⊠ Claim(s) 1.3-13 and 15-24 is/are pending 4a) Of the above claim(s) is/are with 5) □ Claim(s) is/are allowed. 6) ⊠ Claim(s) 1.3-13 and 15-24 is/are rejected. 7) □ Claim(s) is/are objected to. 8) □ Claim(s) are subject to restriction as	hdrawn from consideration.		·
Application Papers			
9) The specification is objected to by the Exa 10) The drawing(s) filed on 24 February 2004 Applicant may not request that any objection to Replacement drawing sheet(s) including the control of the co	is/are: a)⊠ accepted or b)□ o the drawing(s) be held in abeyar orrection is required if the drawing	nce. See 37 CFR 1.85(a). (s) is objected to. See 37 CFR 1	
Priority under 35 U.S.C. § 119			
12) Acknowledgment is made of a claim for for a) All b) Some * c) None of: 1. Certified copies of the priority docured Copies of the priority docured S. Copies of the certified copies of the application from the International Between the attached detailed Office action for the certification from the International Between the attached detailed Office action for the certification from the International Between the attached detailed Office action for the certification from the International Between the attached detailed Office action for the certification from the International Between the attached detailed Office action for the certification from the International Between the attached detailed Office action for the certification from the International Between the certification from the Internation from the International Between the certification from the International Between the certification from the International Between the certification from the Internation	ments have been received. ments have been received in A priority documents have been ureau (PCT Rule 17.2(a)).	application No received in this National Sta	ge
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-94 3) Information Disclosure Statement(s) (PTO-1449 or PTO/S Paper No(s)/Mail Date	8) Paper No(Summary (PTO-413) s)/Mail Date nformal Patent Application (PTO-152	2)

U.S. Patent and Trademark Office PTOL-326 (Rev. 7-05)

Art Unit: 2871

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 3/1/06 has been entered.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1 and 4-12 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lee et al. (U.S. Patent No. 6,680,769 "Lee") in view of Arakawa et al. (U.S. Patent No. 6,400,433 "Arakawa").

Regarding claim 1, Lee discloses a flower-shaped vertical alignment structure liquid crystal display with fast response, high contrast ratio and wide view angle comprising:

a first substrate (Figure 4J element 31) with a protrusion shaped electrode (Figure 4J element 13) as the pixel electrode on an interior surface of the first substrate;

a second substrate with a common electrode on an interior surface of the second substrate (Figure 4J elements 33 and 17);

aligning layers formed on the first and second substrates (Column 7 lines 28-35); liquid crystal materials (Column 2 line 18) filling a space between the first and second substrates as a liquid crystal cell; and

a first polarizer disposed on an exterior surface of the first substrate (Column 6 lines 59-65); and

a polarizer on an exterior surface of the second substrate (Column 6 lines 59-65), wherein a polarized light produced by the first and second polarizers is used as a light source so that the liquid crystal display operates in a transmissive mode.

Lees fails to disclose circular polarizers as each formed of a linear polarizer and wide band quarter-wave film. Arakawa, however, teaches a circular polarizer as advantageously comprising a linear polarizer and a wide-band quarter wave film so that light may be uniformly polarized across visible wavelengths of light (abstract, Column 3 lines 1-9).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to have formed the circular polarizer from a linear polarizer and wide band quarter wave film as proposed. One would have been motivated to form the circular polarizer accordingly such that uniform polarization may occur across the visible range of light as is preferred in a color liquid crystal display as disclosed by Ozawa (Arakawa: Column 1 lines 12-32).

Art Unit: 2871

Lee further fails to explicitly disclose the alignment layers as providing vertical alignment. Nakanishi, however, teaches vertical alignment as advantageous in an electrode structure similar to that disclosed by Lee as having an improved viewing angle characteristic (Column 1 lines 31-36).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to form the alignment layers to provide vertical alignment. One would have been motivated to provide vertical alignment to the liquid crystal layer to benefit from an improved viewing angle characteristic.

It is noted that the term "flower-shaped" does not provide specific guidance as to a particular shape. Accordingly, the term flower-shaped vertical alignment" does not distinguish beyond the term "vertical alignment".

Regarding claim 4, Lee discloses the aligning layer as a polymer (Column 7 lines 28-35).

Regarding claim 5, Lee discloses the aligning layer as an inorganic material (Column 7 line 33).

Regarding claim 6, Lee discloses the pixel electrode as having a column-like shape (Figure 4J element 13).

Regarding claim 7, Lee discloses the pixel electrode as including an indium tin oxide layer (Column 5 line 64).

Art Unit: 2871

Regarding claim 8, Lee discloses the shape of the empty hole as a square (Figure 5A)

element 51).

Regarding claim 9, Lee discloses the common electrode as including an ITO layer in the

areas surrounding the empty hole (Column 6 line 12).

Regarding claim 10, Lee fails to disclose wall-bump protrusions on the ITO layer.

Nakanishi, however, teaches such protrusions (element 66) as advantageous to more strongly

determine the aligning direction of the liquid crystal (Column 10 lines 25-27).

It would have been obvious to one of ordinary skill in the art at the time the invention

was made to form the wall-bump protrusions to provide vertical alignment. One would have

been motivated to provide protrusions to the liquid crystal layer to benefit from an improved

viewing angle characteristic (Column 1 lines 31-36).

Regarding claim 11, Lee discloses the liquid crystal materials as having a positive

dielectric anisotropy (Column 2 lines 23-24).

Regarding claim 12, Lee discloses the liquid crystal materials as having a negative

dielectric anisotropy (Column 2 lines 23-24).

Art Unit: 2871

Claim 3 is rejected under 35 U.S.C. 103(a) as being unpatentable over Lee in view of Arakawa and Nakanishi and in further view of Shimoshikiryo (U.S. Patent No. 6,850,301).

Lee as modified by Arakawa and Nakanishi discloses all of the proposed limitations except for the hole as having a hexagon shape. Shimoshikiryo, however, teaches a hexagon shaped holes as an alternative to a square, circle, or other polygon, due to their ability to be closely arranged on an electrode and their ability to produce a more axially symmetrical orientation (Column 31 line 66 – Column 32 line 10).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to have formed the hole disclosed by Lee to have a hexagon shape. One would have been motivated to use a hexagon shape as an alternative to a rectangular shape due to its ability to produce a more axially symmetric orientation (Column 31 line 66 – Column 32 line 10).

Claims 13 and 16-24 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lee in view of Nakanishi.

Lee discloses all of the proposed limitations except for the alignment layers as providing vertical alignment. Nakanishi, however, teaches vertical alignment as advantageous in an electrode structure similar to that disclosed by Lee as having an improved viewing angle characteristic (Column 1 lines 31-36).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to form the alignment layers to provide vertical alignment. One would have been motivated to provide vertical alignment to the liquid crystal layer to benefit from an improved viewing angle characteristic.

Art Unit: 2871

It is noted that the term "flower-shaped" does not provide specific guidance as to a particular shape. Accordingly, the term flower-shaped vertical alignment" does not distinguish beyond the term "vertical alignment".

Regarding claim 16, Lee discloses the aligning layer as a polymer (Column 7 lines 28-35).

Regarding claim 17, Lee discloses the aligning layer as an inorganic material (Column 7 line 33).

Regarding claim 18, Lee discloses the pixel electrode as having a column-like shape (Figure 4J element 13).

Regarding claim 19, Lee discloses the pixel electrode as including an indium tin oxide layer (Column 5 line 64).

Regarding claim 20, Lee discloses the shape of the empty hole as a square (Figure 5A element 51).

Regarding claim 21, Lee discloses the common electrode as including an ITO layer in the areas surrounding the empty hole (Column 6 line 12).

Art Unit: 2871

Regarding claim 22, Lee fails to disclose wall-bump protrusions on the ITO layer.

Nakanishi, however, teaches such protrusions (element 66) as advantageous to more strongly determine the aligning direction of the liquid crystal (Column 10 lines 25-27).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to form the wall-bump protrusions to provide vertical alignment. One would have been motivated to provide protrusions to the liquid crystal layer to benefit from an improved viewing angle characteristic (Column 1 lines 31-36).

Regarding claim 23, Lee discloses the liquid crystal materials as having a positive dielectric anisotropy (Column 2 lines 23-24).

Regarding claim 24, Lee discloses the liquid crystal materials as having a negative dielectric anisotropy (Column 2 lines 23-24).

Claim 15 is rejected under 35 U.S.C. 103(a) as being unpatentable over Lee in view of Nakanishi and in further view of Shimoshikiryo.

Lee as modified by Arakawa discloses all of the proposed limitations except for the hole as having a hexagon shape. Shimoshikiryo, however, teaches a hexagon shaped holes as an alternative to a square, circle, or other polygon, due to their ability to be closely arranged on an electrode and their ability to produce a more axially symmetrical orientation (Column 31 line 66 – Column 32 line 10).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to have formed the hole disclosed by Lee to have a hexagon shape. One would have been motivated to use a hexagon shape as an alternative to a rectangular shape due to its ability to produce a more axially symmetric orientation (Column 31 line 66 – Column 32 line 10).

Response to Arguments

Applicant's arguments with respect to claims 1 and 13 have been considered but are moot in view of the new ground(s) of rejection.

Contact Information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael H. Caley whose telephone number is (571) 272-2286. The examiner can normally be reached on M-F 8:30 a.m. - 5:00 p.m..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert Kim can be reached on (571) 272-2293. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/786,282 Page 10

Art Unit: 2871

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Michael H. Caley May 5, 2006

mhc

Industrible
ANDREW SCHECHTER
PRIMARY EXAMINER